



Ş E N L E R

— Marble —

S T O N E T R A D I T I O N

TILE COLLECTION




Ş E N L E R

Marble

STONE TRADITION

ARABESCATO VIOLA



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ARABESCATO GOLD



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ARABESCATO MONET



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ARABESCATO ARGENTO



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

CALACATTA VIOLA



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

TOPAZ WHITE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

DIAMOND BLUE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

FOREST GREY



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ROSA

FANTASTIC



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

TROY TRAVERTINE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

CREMA DENA



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

TOBACCO BROWN



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

SUNNY WHITE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

GOLDEN TOBACCO



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

GIALLO IMPERIAL



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

LILAC WHITE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ALEXANDRATTE BLACK



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

FENDI BLUE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ROSSO LEVANTO



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ROSSO LAGUNA



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

BURDUR BEIGE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

TUNDRA GREY



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

DIANA ROYAL



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

SPIDER BEIGE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

VANILLA BEIGE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

VERDE LAGUNA



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

BIANCO DOLOMITI



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

ICEBERG



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES


Polished
Honed
Brushed
Sandblasted

artisen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %

MUĞLA WHITE



AVAILABLE SIZES

48"x 48"	122 x 122 cm
24"x 48"	61 x 122 cm
24"x 24"	61 x 61 cm
12"x 24"	30,5 x 61 cm
12"x 12"	30,5 x 30,5 cm
6"x 12"	15,2 x 30,5 cm

AVAILABLE SIZES

36"x 36"	91,4 x 91,4 cm
18"x 36"	45,7 x 91,4 cm
18"x 18"	45,7 x 45,7 cm
16"x 32"	40,6 x 81,2 cm
16"x 16"	40,6 x 40,6 cm
8"x 16"	20,3 x 40,6 cm

AVAILABLE FINISHES

Polished
Honed
Brushed
Sandblasted

artiSen

TECHNICAL STONE ANALYSIS

Water Absorption (byweight)	0,09 %
Density	2781 kg / m ³
Compressive Strength	92,35 MPa
Flexural Strength	18,39 MPa
Open Porosity	0,2 %